

490

Tight Binding

Whole Volume

16

Houses in Townland of *Coolbrook*

No.	Name and Description.	Quality Letter.	Length.	Breadth.	Height.	Number of Measures.	Rate per Measure.	Amount.	
								£ s. d.	
8, 13	Moss Blar								
	House	3+	21.38	8.16	0.6.6	60	5 1/2	1. 9. 4	
	Office Barn	3.5+	22.0	13.6	5.6	29	2 1/2	0. 6. 1	
	Office Cowhouse	3.5-	25.0	16.0	6.6	40	3	0. 10. 0	
	ordinary situation							2. 5. 1	
								1. 8. 0	
								0. 8. 0	
10	Michael Donohoe House							0. 14. 0	
	from John Moore 25/1/24								
10	John Moore Ho and Office due Original							3. 9. 0	
	Ho brook and recalculation							5. 15. 0	
								5. 14. 0	
9	James Watchman House and Office							0. 17. 0	
								1. 8. 0	
7	James Dundegart								
	House	3.5-	42.0	18.6	6.3	77	5	1. 12. 1	
1845	soing Office dairy		1.5+	16.0	18.0	8.0	28	5 1/2	0. 12. 10
	Office cow House	3.5+	21.6	15.0	5.6	38	2 1/2	0. 8. 8	
	Office Stable & Barn	3.5-	42.0	18.0	6.0	72	2 1/2	0. 16. 6	
	ordinary situation Market House below 5 1/2 mela							3. 10. 1	
								2. 2. 0	
								0. 9. 0	
								0. 15. 0	

Good c John Jordan House and office from lot 13. per

17

Houses in Townland of *Coolbrook*

No.	Name and Description.	Quality Letter.	Length.	Breadth.	Height.	Number of Measures.	Rate per Measure.	Amount.
								£ s. d.
6	William Poyaw House							0. 5. 0
	from lot 14. 1/2 mela							0. 6. 0
2	Patrick Lyons the original measure for							
	lot. H. Brun for monthly fee							4. 13. 6
	Office Stable	3.5	15.0	18.6	6.6	28	3	0. 7. 0
	Office cow House	1.5+	34.0	17.0	6.0	59	4 1/2	1. 3. 1 1/2
	Office cow - cow Ho	3.5-	20.6	14.0	6.0	38	2 1/2	0. 8. 8
	Ho. occupied by lot and 20 mela fine							6. 12. 6
	also incommensurate road & mela - deduct 1/6							6. 3. 0
	per in consequence							3. 14. 0
a	Richard Dundegart House and Office							Sub. Valuation
	original Ho brook for John Nolan							5. 14. 0
								5. 2. 0
								3. 8. 0
a	Col. Henry Brun Ho occupied by the							
	the original House brook							7. 10. 0
								4. 12. 0

Feb. 20th 1851. Mich. Mackay